VetMat
Veterinary equipment

DATA SHEET

290-TB DIGITAL BINOCULAR MICROSCOPE X1000 w/3.1 MP TABLET

3.1 MP Built-in camera and 10.8” Windows tablet PC with N-PLAN objectives, rackless stage and exclusive X-LED^3 for unmatchable performance in illumination. Ideal for discussion group with 360° rotating tablet.



PART	SPECS
OBSERVATION MODE	Brightfield
HEAD	Binocular, 360º rotating and 30º inclined. Interpulillary distance 48-75mm.Dioptric adjustment on left eyepiece. Build-in 3.1 MP camera
EYEPIECES	WF 10X/20mm, secured by screw
NOSEPIECE	Quadruple revolving nosepiece, rotation on ball bearings
OBJECTIVES	N_PLAN 4x/0.10 with anti-fungus treatment N_PLAN 10x/0.25 with anti-fungus treatment N_PLAN 40x/0.65 with anti-fungus treatment N_PLAN 100x/1.25 (Oil/Water) with anti-fungus treatment

adivet GRUPO

VETMAT, S.L.
Pol. Ind, Erletxe, Zona D- Pabellón 13
48960-Galdakao (Bizkaia)

94 456 00 10

comercial@vetmat.com
www.vetmat.com

VetMat
Veterinary equipment

DATA SHEET


290-TB DIGITAL BINOCULAR MICROSCOPE X1000 w/3.1 MP TABLET

PART	SPECS
SPECIMEN STAGE	Double layer rackless mechanical sliding stage. 150x139mm, 75x33mm X-Y movement range. Vernier scale on the two axes. Accuracy : 0.1 mm.
FOCUSING	Coaxial coarse and fine focusing mechanism with limit stop to prevent the contact between objective and specimen. Adjustable tension of coarse focusing knob.
CONDENSER	Abbe N.A. 1.25, with objective coded iris diaphragm, focusable and centerable.
ILLUMINATION	X-LED^3 with white 3.6 W LED and light intensity control. Colour temperature: 6.300 K. Multi-plug 100-240 Vac/6Vdc external power supply

VetMat
Veterinary equipment

DATA SHEET

290-TB DIGITAL BINOCULAR MICROSCOPE X1000 w/3.1 MP TABLET



Item No.	Description
06000029	290-TB Digital Binocular microscope x1000 w/3.1 MP Tablet

adivet GRUPO
VETMAT, S.L.
Pol. Ind, Erletxe, Zona D- Pabellón 13
48960-Galdakao (Bizkaia)
94 456 00 10
comercial@vetmat.com
www.vetmat.com